

Mathematics – High School Algebra I

All West Virginia teachers are responsible for classroom instruction that integrates content standards and mathematical habits of mind. Students in this course will focus on five critical units that deepen and extend understanding of linear and exponential relationships by contrasting them with each other and by applying linear models to data that exhibit a linear trend, and students engage in methods for analyzing, solving, and using quadratic functions. Mathematical habits of mind, which should be integrated in these content areas, include: making sense of problems and persevering in solving them, reasoning abstractly and quantitatively; constructing viable arguments and critiquing the reasoning of others; modeling with mathematics; using appropriate tools strategically; attending to precision, looking for and making use of structure; and looking for and expressing regularity in repeated reasoning. Students will continue developing mathematical proficiency in a developmentally-appropriate progressions of standards. Continuing the skill progressions from previous courses, the following chart represents the mathematical understandings that will be developed:

Relationships between Quantities and Reasoning with Equations	Linear and Exponential Relationships
<ul style="list-style-type: none"> Solve problems with a wide range of units and solve problems by thinking about units. (e.g., The Trans Alaska Pipeline System is 800 miles long and cost \$8 billion to build. Divide one of these numbers by the other. What is the meaning of the answer? Greenland has a population of 56,700 and a land area of 2,175,600 square kilometers. By what factor is the population density of the United States, 80 persons per square mile, larger than the population density of Greenland?) 	<ul style="list-style-type: none"> Understand contextual relationships of variables and constants. (e.g., Annie is picking apples with her sister. The number of apples in her basket is described by $n = 22t + 12$, where t is the number of minutes Annie spends picking apples. What do the numbers 22 and 12 tell you about Annie’s apple picking?)
Descriptive Statistics	Expressions and Equations
<ul style="list-style-type: none"> Use linear regression techniques to describe the relationship between quantities and assess the fit of the model. (e.g., Use the high school and university grades for 250 students to create a model that can be used to predict a student’s university GPA based on his high school GPA.) 	<ul style="list-style-type: none"> Interpret algebraic expressions and transform them purposefully to solve problems. (e.g., In solving a problem about a loan with interest rate r and principal P, seeing the expression $P(1+r)^n$ as a product of P with a factor not depending on P.)

Quadratic Functions and Modeling	
<ul style="list-style-type: none"> Solve real-world and mathematical problems by writing and solving nonlinear equations, such as quadratic equations ($ax^2 + bx + c = 0$). 	

Numbering of Standards

The following Mathematics Standards will be numbered continuously. The following ranges relate to the clusters found within Mathematics:

Relationships between Quantities and Reasoning with Equations	
Reason quantitatively and use units to solve problems.	Standards 1-3
Interpret the structure of expressions.	Standard 4
Create equations that describe numbers or relationships.	Standards 5-8
Understand solving equations as a process of reasoning and explain the reasoning.	Standard 9
Solve equations and inequalities in one variable.	Standard 10
Linear and Exponential Relationships	
Extend the properties of exponents to rational exponents.	Standards 11-12
Solve systems of equations.	Standards 13-14
Represent and solve equations and inequalities graphically.	Standards 15-17
Understand the concept of a function and use function notation.	Standards 18-20
Interpret functions that arise in applications in terms of a context.	Standards 21-23
Analyze functions using different representations.	Standards 24-25
Build a function that models a relationship between two quantities.	Standards 26-27
Build new functions from existing functions.	Standards 28
Construct and compare linear, quadratic, and exponential models and solve problems.	Standards 29-31

Interpret expressions for functions in terms of the situation they model.	Standard 32
Descriptive Statistics	
Summarize, represent, and interpret data on a single count or measurement variable.	Standards 33-35
Summarize, represent, and interpret data on two categorical and quantitative variables.	Standards 36-37
Interpret linear models.	Standards 38-40
Expressions and Equations	
Interpret the structure of equations.	Standards 41-42
Write expressions in equivalent forms to solve problems.	Standard 43
Perform arithmetic operations on polynomials.	Standard 44
Create equations that describe numbers or relationships.	Standards 45-47
Solve equations and inequalities in one variable.	Standard 48
Solve systems of equations.	Standard 49
Quadratic Functions and Modeling	
Use properties of rational and irrational numbers.	Standard 50
Interpret functions that arise in applications in terms of a context.	Standards 51-53
Analyze functions using different representations.	Standards 54-56
Build a function that models a relationship between two quantities.	Standards 57
Build new functions from existing functions.	Standard 58-59
Construct and compare linear, quadratic and exponential models and solve problems.	Standard 60

Relationships between Quantities and Reasoning with Equations

Cluster	Reason quantitatively and use units to solve problems.
M.A1HS.1	Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays.
M.A1HS.2	Define appropriate quantities for the purpose of descriptive modeling. Instructional Note: Working with quantities and the relationships between them provides grounding for work with expressions, equations, and functions.
M.A1HS.3	Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.

Cluster	Interpret the structure of expressions.
M.A1HS.4	Interpret expressions that represent a quantity in terms of its context. <ol style="list-style-type: none">Interpret parts of an expression, such as terms, factors, and coefficients.Interpret complicated expressions by viewing one or more of their parts as a single entity. (e.g., Interpret $P(1 + r)^n$ as the product of P and a factor not depending on P.) Instructional Note: Limit to linear expressions and to exponential expressions with integer exponents.

Cluster	Create equations that describe numbers or relationships.
M.A1HS.5	Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational and exponential functions. Instructional Note: Limit to linear and exponential equations, and, in the case of exponential equations, limit to situations requiring evaluation of exponential functions at integer inputs.
M.A1HS.6	Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. Instructional Note: Limit to linear and exponential equations, and, in the case of exponential equations, limit to situations requiring evaluation of exponential functions at integer inputs.
M.A1HS.7	Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context. (e.g., Represent inequalities describing nutritional and cost constraints on combinations of different foods.) Instructional Note: Limit to linear equations and inequalities.
M.A1HS.8	Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. (e.g., Rearrange Ohm's law $V = IR$ to highlight resistance R .) Instructional Note: Limit to formulas with a linear focus.

Cluster	Understand solving equations as a process of reasoning and explain the reasoning.
M.A1HS.9	Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method. Instructional Note: Students should focus on and master linear equations and be able to extend and apply their reasoning to other types of equations in future courses. Students will solve exponential equations with logarithms in Algebra II.

Cluster	Solve equations and inequalities in one variable.
M.A1HS.10	Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters. Instructional Note: Extend earlier work with solving linear equations to solving linear inequalities in one variable and to solving literal equations that are linear in the variable being solved for. Include simple exponential equations that rely only on application of the laws of exponents, such as $5^x = 125$ or $2^x = 1/16$.

Linear and Exponential Relationships

Cluster	Extend the properties of exponents to rational exponents.
M.A1HS.11	Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. (e.g., We define $5^{1/3}$ to be the cube root of 5 because we want $(5^{1/3})^3 = 5^{(1/3)3}$ to hold, so $(5^{1/3})^3$ must equal 5.) Instructional Note: Address this standard before discussing exponential functions with continuous domains.
M.A1HS.12	Rewrite expressions involving radicals and rational exponents using the properties of exponents. Instructional Note: Address this standard before discussing exponential functions with continuous domains.

Cluster	Solve systems of equations.
M.A1HS.13	Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions.
M.A1HS.14	Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables. Instructional Note: Build on student experiences graphing and solving systems of linear equations from middle school to focus on justification of the methods used. Include cases where the two equations describe the same line (yielding infinitely many solutions) and cases where two equations describe parallel

	lines (yielding no solution); connect to standards in Geometry which require students to prove the slope criteria for parallel lines.
--	---

Cluster	Represent and solve equations and inequalities graphically.
M.A1HS.15	Recognize that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line). Instructional Note: Focus on linear and exponential equations and be able to adapt and apply that learning to other types of equations in future courses.
M.A1HS.16	Explain why the x-coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately (e.g., using technology to graph the functions, make tables of values or find successive approximations). Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential and logarithmic functions. Instructional Note: Focus on cases where $f(x)$ and $g(x)$ are linear or exponential.
M.A1HS.17	Graph the solutions to a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes.

Cluster	Understand the concept of a function and use function notation.
M.A1HS.18	Recognize that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If f is a function and x is an element of its domain, then $f(x)$ denotes the output of f corresponding to the input x . The graph of f is the graph of the equation $y = f(x)$. Instructional Note: Students should experience a variety of types of situations modeled by functions. Detailed analysis of any particular class of function at this stage is not advised. Students should apply these concepts throughout their future mathematics courses. Draw examples from linear functions and exponential functions having integral domains.
M.A1HS.19	Use function notation, evaluate functions for inputs in their domains and interpret statements that use function notation in terms of a context. Instructional Note: Students should experience a variety of types of situations modeled by functions. Detailed analysis of any particular class of function at this stage is not advised. Students should apply these concepts throughout their future mathematics courses. Draw examples from linear functions and exponential functions having integral domains.
M.A1HS.20	Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. (e.g., The Fibonacci sequence is defined recursively by $f(0) = f(1) = 1$, $f(n+1) = f(n) + f(n-1)$ for $n \geq 1$. Instructional

	Note: Students should experience a variety of types of situations modeled by functions. Detailed analysis of any particular class of function at this stage is not advised. Students should apply these concepts throughout their future mathematics courses. Draw examples from linear functions and exponential functions having integral domains. Draw connection to M.A1HS.27, which requires students to write arithmetic and geometric sequences. Emphasize arithmetic and geometric sequences as examples of linear and exponential functions.
--	---

Cluster	Interpret functions that arise in applications in terms of a context.
M.A1HS.21	For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. Instructional Note: Focus on linear and exponential functions.
M.A1HS.22	Relate the domain of a function to its graph and where applicable, to the quantitative relationship it describes. (e.g., If the function $h(n)$ gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.) Instructional Note: Focus on linear and exponential functions.
M.A1HS.23	Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. Instructional Note: Focus on linear functions and exponential functions whose domain is a subset of the integers. The Unit on Quadratic Functions and Modeling in this course and the Algebra II course address other types of functions.

Cluster	Analyze functions using different representations.
M.A1HS.24	Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. <ul style="list-style-type: none"> a. Graph linear and quadratic functions and show intercepts, maxima, and minima. b. Graph exponential and logarithmic functions, showing intercepts and end behavior and trigonometric functions, showing period, midline and amplitude. Instructional Note: Focus on linear and exponential functions. Include comparisons of two functions presented algebraically. For example, compare the growth of two linear functions, or two exponential functions such as $y = 3^n$ and $y = 100^{2n}$)

M.A1HS.25	Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). (e.g., Given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.) Instructional Note: Focus on linear and exponential functions. Include comparisons of two functions presented algebraically. For example, compare the growth of two linear functions, or two exponential functions such as $y = 3^n$ and $y = 100^{2^n}$)
-----------	---

Cluster	Build a function that models a relationship between two quantities.
M.A1HS.26	Write a function that describes a relationship between two quantities. <ol style="list-style-type: none"> Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. (e.g., Build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.) Instructional Note: Limit to linear and exponential functions.
M.A1HS.27	Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms. Instructional Note: Limit to linear and exponential functions. Connect arithmetic sequences to linear functions and geometric sequences to exponential functions.

Cluster	Build new functions from existing functions.
M.A1HS.28	Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them. Instructional Note: Focus on vertical translations of graphs of linear and exponential functions. Relate the vertical translation of a linear function to its y -intercept. While applying other transformations to a linear graph is appropriate at this level, it may be difficult for students to identify or distinguish between the effects of the other transformations included in this standard.

Cluster	Construct and compare linear, quadratic, and exponential models and solve problems.
M.A1HS.29	Distinguish between situations that can be modeled with linear functions and with exponential functions. <ol style="list-style-type: none"> Prove that linear functions grow by equal differences over equal intervals; exponential functions grow by equal factors over equal intervals.

	<p>b. Recognize situations in which one quantity changes at a constant rate per unit interval relative to another.</p> <p>c. Recognize situations in which a quantity grows or decays by a constant percent rate per unit interval relative to another.</p>
M.A1HS.30	Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship or two input-output pairs (include reading these from a table). Instructional Note: In constructing linear functions, draw on and consolidate previous work in Grade 8 on finding equations for lines and linear functions.
M.A1HS.31	Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function. Instructional Note: Limit to comparisons between exponential and linear models.

Cluster	Interpret expressions for functions in terms of the situation they model.
M.A1HS.32	Interpret the parameters in a linear or exponential function in terms of a context. Instructional Note: Limit exponential functions to those of the form $f(x) = b^x + k$.

Descriptive Statistics

Cluster	Summarize, represent, and interpret data on a single count or measurement variable.
M.A1HS.33	Represent data with plots on the real number line (dot plots, histograms, and box plots).
M.A1HS.34	Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets. Instructional Note: In grades 6 – 8, students describe center and spread in a data distribution. Here they choose a summary statistic appropriate to the characteristics of the data distribution, such as the shape of the distribution or the existence of extreme data points.
M.A1HS.35	Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers). Instructional Note: In grades 6 – 8, students describe center and spread in a data distribution. Here they choose a summary statistic appropriate to the characteristics of the data distribution, such as the shape of the distribution or the existence of extreme data points.

Cluster	Summarize, represent, and interpret data on two categorical and quantitative variables.
M.A1HS.36	Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint,

	marginal and conditional relative frequencies). Recognize possible associations and trends in the data.
M.A1HS.37	<p>Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.</p> <ol style="list-style-type: none"> Fit a function to the data; use functions fitted to data to solve problems in the context of the data. Use given functions or choose a function suggested by the context. Emphasize linear and exponential models. Informally assess the fit of a function by plotting and analyzing residuals. Instructional Note: Focus should be on situations for which linear models are appropriate. Fit a linear function for scatter plots that suggest a linear association. Instructional Note: Students take a more sophisticated look at using a linear function to model the relationship between two numerical variables. In addition to fitting a line to data, students assess how well the model fits by analyzing residuals.

Cluster	Interpret linear models.
M.A1HS.38	Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data. Instructional Note: Build on students' work with linear relationships in eighth grade and introduce the correlation coefficient. The focus here is on the computation and interpretation of the correlation coefficient as a measure of how well the data fit the relationship.
M.A1HS.39	Compute (using technology) and interpret the correlation coefficient of a linear fit. Instructional Note: Build on students' work with linear relationships in eighth grade and introduce the correlation coefficient. The focus here is on the computation and interpretation of the correlation coefficient as a measure of how well the data fit the relationship.
M.A1HS.40	Distinguish between correlation and causation. Instructional Note: The important distinction between a statistical relationship and a cause-and-effect relationship is the focus.

Expressions and Equations

Cluster	Interpret the structure of equations.
M.A1HS.41	<p>Interpret expressions that represent a quantity in terms of its context.</p> <ol style="list-style-type: none"> Interpret parts of an expression, such as terms, factors, and coefficients. Interpret complicated expressions by viewing one or more of their parts as a single entity. For example, interpret $P(1 + r)^n$ as the product of P and a factor not depending on P. Instructional Note: Exponents are extended from the integer exponents found in the unit on

	<p>Relationships between Quantities and Reasoning with Equations to rational exponents focusing on those that represent square or cube roots.</p> <p>Instructional Note: Focus on quadratic and exponential expressions.</p>
M.A1HS.42	<p>Use the structure of an expression to identify ways to rewrite it. For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$. Instructional Note: Focus on quadratic and exponential expressions.</p>

Cluster	Write expressions in equivalent forms to solve problems.
M.A1HS.43	<p>Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.</p> <ol style="list-style-type: none"> Factor a quadratic expression to reveal the zeros of the function it defines. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines. Use the properties of exponents to transform expressions for exponential functions. For example the expression 1.15^t can be rewritten as $(1.15^{1/12})^{12t} \approx 1.012^{12t}$ to reveal the approximate equivalent monthly interest rate if the annual rate is 15%. <p>Instructional Note: It is important to balance conceptual understanding and procedural fluency in work with equivalent expressions. For example, development of skill in factoring and completing the square goes hand-in-hand with understanding what different forms of a quadratic expression reveal.</p>

Cluster	Perform arithmetic operations on polynomials.
M.A1HS.44	<p>Recognize that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials. Instructional Note: Focus on polynomial expressions that simplify to forms that are linear or quadratic in a positive integer power of x.</p>

Cluster	Create equations that describe numbers or relationships.
M.A1HS.45	<p>Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational and exponential functions. Instructional Note: Extend work on linear and exponential equations in the Relationships between Quantities and Reasoning with Equations unit to quadratic equations.</p>
M.A1HS.46	<p>Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. Instructional Note: Extend work on linear and exponential equations in the</p>

	Relationships between Quantities and Reasoning with Equations unit to quadratic equations.
M.A1HS.47	Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. (e.g., Rearrange Ohm's law $V = IR$ to highlight resistance R . Instructional Note: Extend work on linear and exponential equations in the Relationships between Quantities and Reasoning with Equations unit to quadratic equations. Extend this standard to formulas involving squared variables.

Cluster	Solve equations and inequalities in one variable.
M.A1HS.48	<p>Solve quadratic equations in one variable.</p> <ol style="list-style-type: none"> Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x - p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form. Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers a and b. <p>Instructional Note: Students should learn of the existence of the complex number system, but will not solve quadratics with complex solutions until Algebra II.</p>

Cluster	Solve systems of equations.
M.A1HS.49	<p>Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$.</p> <p>Instructional Note: Include systems consisting of one linear and one quadratic equation. Include systems that lead to work with fractions. For example, finding the intersections between $x^2 + y^2 = 1$ and $y = (x+1)/2$ leads to the point $(3/5, 4/5)$ on the unit circle, corresponding to the Pythagorean triple $3^2 + 4^2 = 5^2$.</p>

Quadratic Functions and Modeling

Cluster	Use properties of rational and irrational numbers.
M.A1HS.50	<p>Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational. Instructional Note: Connect to physical situations (e.g., finding the perimeter of a square of area 2).</p>

Cluster	Interpret functions that arise in applications in terms of a context.
M.A1HS.51	For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. Instructional Note: Focus on quadratic functions; compare with linear and exponential functions studied in the Unit on Linear and Exponential Relationships.
M.A1HS.52	Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. For example, if the function $h(n)$ gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function. Instructional Note: Focus on quadratic functions; compare with linear and exponential functions studied in the Unit on Linear and Exponential Relationships.
M.A1HS.53	Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. Instructional Note: Focus on quadratic functions; compare with linear and exponential functions studied in the Unit on Linear and Exponential Relationships.

Cluster	Analyze functions using different representations.
M.A1HS.54	Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. <ul style="list-style-type: none"> a. Graph linear and quadratic functions and show intercepts, maxima, and minima. b. Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions. Instructional Note: Compare and contrast absolute value, step and piecewise-defined functions with linear, quadratic, and exponential functions. Highlight issues of domain, range, and usefulness when examining piecewise-defined functions. Extend work with quadratics to include the relationship between coefficients and roots, and that once roots are known, a quadratic equation can be factored.
M.A1HS.55	Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. <ul style="list-style-type: none"> a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.

	<p>b. Use the properties of exponents to interpret expressions for exponential functions. For example, identify percent rate of change in functions such as $y = (1.02)^t$, $y = (0.97)^t$, $y = (1.01)^{12t}$, $y = (1.2)^{t/10}$, and classify them as representing exponential growth or decay.</p> <p>Instructional Note: Extend work with quadratics to include the relationship between coefficients and roots, and that once roots are known, a quadratic equation can be factored. This standard extends the work begun in the Linear and Exponential Relationships unit on exponential functions with integer exponents.</p>
M.A1HS.56	<p>Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum. Instructional Note: Highlight issues of domain, range, and usefulness when examining piecewise-defined functions. Extend work with quadratics to include the relationship between coefficients and roots, and that once roots are known, a quadratic equation can be factored.</p>

Cluster	Build a function that models a relationship between two quantities.
M.A1HS.57	<p>Write a function that describes a relationship between two quantities.</p> <ol style="list-style-type: none"> Determine an explicit expression, a recursive process, or steps for calculation from a context. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model. <p>Instructional Note: Focus on situations that exhibit a quadratic relationship.</p>

Cluster	Build new functions from existing functions.
M.A1HS.58	<p>Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them.</p> <p>Instructional Note: Focus on quadratic functions, and consider including absolute value functions.</p>
M.A1HS.59	<p>Find inverse functions. Solve an equation of the form $f(x) = c$ for a simple function f that has an inverse and write an expression for the inverse. For example, $f(x) = 2x^3$ or $f(x) = (x+1)/(x-1)$ for $x \neq 1$. Instructional Note: Focus on linear functions but consider simple situations where the domain of</p>

	the function must be restricted in order for the inverse to exist, such as $f(x) = x^2, x > 0$.
--	--

Cluster	Construct and compare linear, quadratic and exponential models and solve problems.
M.A1HS.60	Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function. Instructional Note: Compare linear and exponential growth to quadratic growth.