


## High School Mathematics III

### Overview of the West Virginia College- and Career-Readiness Standards for Mathematics

Included in Policy 2520.2B, the West Virginia College- and Career-Readiness Standards for Mathematics are two types of standards: the Mathematical Habits of Mind and the grade-level Mathematics Content Standards. These standards address the skills, knowledge, and dispositions that students should develop to foster mathematical understanding and expertise, as well as concepts, skills, and knowledge – what students need to understand, know, and be able to do. The standards also require that the Mathematical Habits of Mind and the grade-level Mathematics Content Standards be connected. These connections are essential to support the development of students’ broader mathematical understanding, as students who lack understanding of a topic may rely too heavily on procedures. The Mathematical Habits of Mind must be taught as carefully and practiced as intentionally as the grade-level Mathematics Content Standards are. Neither type should be isolated from the other; mathematics instruction is most effective when these two aspects of the West Virginia College- and Career-Readiness Standards for Mathematics come together as a powerful whole.

#### Mathematical Habits of Mind



The eight Mathematical Habits of Mind (MHM) describe the attributes of mathematically proficient students and the expertise that mathematics educators at all levels should seek to develop in their students. The Mathematical Habits of Mind provide a vehicle through which students engage with and learn mathematics. As students move from elementary school through high school, the Mathematical Habits of Mind are integrated in the tasks as students engage in doing mathematics and master new and more advanced mathematical ideas and understandings.

The Mathematical Habits of Mind rest on important “processes and proficiencies “ with longstanding importance in mathematics education. The first of these are the National Council of Teachers of Mathematics’ process standards of problem solving, reasoning and proof, communication, representation, and connections. The second are the strands of mathematical proficiency specified in the National Research Council’s report Adding it Up: adaptive reasoning, strategic competence, conceptual understanding, procedural fluency, and productive disposition (NGA/CCSSO 2010).

Ideally, several Mathematical Habits of Mind will be evident in each lesson as they interact and overlap with each other. The Mathematical Habits of Mind are not a checklist; they are the basis for mathematics instruction and learning. To help students persevere in solving problems (MHM1), teachers need to allow their students to struggle productively, and they must be attentive to the type of feedback they provide to students. Dr. Carol Dweck’s research (Dweck 2006) revealed that feedback offering praise of effort and perseverance seems to engender a “growth mindset.” In Dweck’s estimation, growth-minded teachers tell students the truth about being able to close the learning gap between them and their peers and then give them the tools to close the gap (Dweck 2006).

Students who are proficient in the eight Mathematical Habits of Mind are able to use these skills not only in mathematics, but across disciplines and into their lives beyond school, college, and career.

## Policy 2520.2B

# West Virginia College- and Career-Readiness Standards for Mathematics

## Mathematical Habits of Mind

The Mathematical Habits of Mind (hereinafter MHM) describe varieties of expertise that mathematics educators at all levels should develop in their students.

### **MHM1. Make sense of problems and persevere in solving them.**

Mathematically proficient students start by explaining to themselves the meaning of a problem and looking for entry points to its solution. They analyze givens, constraints, relationships and goals. They make conjectures about the form and meaning of the solution and plan a solution pathway rather than simply jumping into a solution attempt. They consider analogous problems and try special cases and simpler forms of the original problem in order to gain insight into its solution. They monitor and evaluate their progress and change course if necessary. Older students might, depending on the context of the problem, transform algebraic expressions or change the viewing window on their graphing calculator to get the information they need. Mathematically proficient students can explain correspondences between equations, verbal descriptions, tables and graphs or draw diagrams of important features and relationships, graph data and search for regularity or trends. Younger students might rely on using concrete objects or pictures to help conceptualize and solve a problem. Mathematically proficient students check their answers to problems using a different method and they continually ask themselves, “Does this make sense?” They can understand the approaches of others to solving complex problems and identify correspondences between different approaches.

### **MHM2. Reason abstractly and quantitatively.**

Mathematically proficient students make sense of quantities and their relationships in problem situations. They bring two complementary abilities to bear on problems involving quantitative relationships: the ability to decontextualize—to abstract a given situation and represent it symbolically and manipulate the representing symbols as if they have a life of their own, without necessarily attending to their referents—and the ability to contextualize—to pause as needed during the manipulation process in order to probe into the referents for the symbols involved. Quantitative reasoning entails habits of creating a coherent representation of the problem at hand, considering the units involved, attending to the meaning of quantities, not just how to compute them, and knowing and flexibly using different properties of operations and objects.

### **MHM3. Construct viable arguments and critique the reasoning of others.**

Mathematically proficient students understand and use stated assumptions, definitions, and previously established results in constructing arguments. They make conjectures and build a logical progression of statements to explore the truth of their conjectures. They are able to analyze situations by breaking them into cases and can recognize and use counterexamples.

They justify their conclusions, communicate them to others, and respond to the arguments of others. They reason inductively about data, making plausible arguments that take into account the context from which the data arose. Mathematically proficient students are also able to compare the effectiveness of two plausible arguments, distinguish correct logic or reasoning from that which is flawed, and—if there is a flaw in an argument—explain what it is. Elementary students can construct arguments using concrete referents such as objects, drawings, diagrams and actions. Such arguments can make sense and be correct, even though they are not generalized or made formal until later grades. Later, students learn to determine domains to which an argument applies. Students at all grades can listen or read the arguments of others, decide whether they make sense and ask useful questions to clarify or improve the arguments.

**MHM4. Model with mathematics.**

Mathematically proficient students can apply the mathematics they know to solve problems arising in everyday life, society and the workplace. In early grades, this might be as simple as writing an addition equation to describe a situation. In middle grades, a student might apply proportional reasoning to plan a school event or analyze a problem in the community. By high school, a student might use geometry to solve a design problem or use a function to describe how one quantity of interest depends on another. Mathematically proficient students who can apply what they know are comfortable making assumptions and approximations to simplify a complicated situation, realizing that these may need revision later. They are able to identify important quantities in a practical situation and map their relationships using such tools as diagrams, two-way tables, graphs, flowcharts and formulas. They can analyze those relationships mathematically to draw conclusions. They routinely interpret their mathematical results in the context of the situation and reflect on whether the results make sense, possibly improving the model if it has not served its purpose.

**MHM5. Use appropriate tools strategically.**

Mathematically proficient students consider the available tools when solving a mathematical problem. These tools might include pencil and paper, concrete models, a ruler, a protractor, a calculator, a spreadsheet, a computer algebra system, a statistical package or dynamic geometry software. Proficient students are sufficiently familiar with tools appropriate for their grade or course to make sound decisions about when each of these tools might be helpful, recognizing both the insight to be gained and their limitations. For example, mathematically proficient high school students analyze graphs of functions and solutions generated using a graphing calculator. They detect possible errors by strategically using estimation and other mathematical knowledge. When making mathematical models, they know that technology can enable them to visualize the results of varying assumptions, explore consequences and compare predictions with data. Mathematically proficient students at various grade levels are able to identify relevant external mathematical resources, such as digital content located on a website and use them to pose or solve problems. They are able to use technological tools to explore and deepen their understanding of concepts.

**MHM6. Attend to precision.**

Mathematically proficient students try to communicate precisely to others. They try to use clear definitions in discussion with others and in their own reasoning. They state the meaning of the symbols they choose, including using the equal sign consistently and appropriately. They are careful about specifying units of measure, and labeling axes to clarify the correspondence with quantities in a problem. They calculate accurately and efficiently, express numerical answers with a degree of precision appropriate for the problem context. In the elementary grades, students give carefully formulated explanations to each other. By the time they reach high school they have learned to examine claims and make explicit use of definitions.

**MHM7. Look for and make use of structure.**

Mathematically proficient students look closely to discern a pattern or structure. Young students, for example, might notice that three and seven more is the same amount as seven and three more or they may sort a collection of shapes according to how many sides the shapes have. Later, students will see  $7 \times 8$  equals the well-remembered  $7 \times 5 + 7 \times 3$ , in preparation for learning about the distributive property. In the expression  $x^2 + 9x + 14$ , older students can see the 14 as  $2 \times 7$  and the 9 as  $2 + 7$ . They recognize the significance of an existing line in a geometric figure and can use the strategy of drawing an auxiliary line for solving problems. They also can step back for an overview and shift perspective. They can see complicated things, such as some algebraic expressions, as single objects or as being composed of several objects. For example, they can see  $5 - 3(x - y)^2$  as 5 minus a positive number times a square and use that to realize that its value cannot be more than 5 for any real numbers  $x$  and  $y$ .

**MHM8. Look for and express regularity in repeated reasoning.**

Mathematically proficient students notice if calculations are repeated, and look both for general methods and for shortcuts. Upper elementary students might notice when dividing 25 by 11 that they are repeating the same calculations over and over again, and conclude they have a repeating decimal. By paying attention to the calculation of slope as they repeatedly check whether points are on the line through (1, 2) with slope 3, middle school students might abstract the equation  $(y - 2)/(x - 1) = 3$ . Noticing the regularity in the way terms cancel when expanding  $(x - 1)(x + 1)$ ,  $(x - 1)(x^2 + x + 1)$  and  $(x - 1)(x^3 + x^2 + x + 1)$  might lead them to the general formula for the sum of a geometric series. As they work to solve a problem, mathematically proficient students maintain oversight of the process, while attending to the details. They continually evaluate the reasonableness of their intermediate results.

## Policy 2520.2B

# West Virginia College- and Career-Readiness Standards for Mathematics

## High School Mathematics III

**Math III LA** course does not include the (+) standards.

**Math III STEM** course includes standards identified by (+) sign

**Math III TR** course (Technical Readiness) includes standards identified by (\*)

**Math IV TR** course (Technical Readiness) includes standards identified by (^)

Math III Technical Readiness and Math IV Technical Readiness are course options (for juniors and seniors) built for the mathematics content of Math III through integration of career clusters. These courses integrate academics with hands-on career content. The collaborative teaching model is recommended based at our Career and Technical Education (CTE) centers. The involvement of a highly qualified Mathematics teacher and certified CTE teachers will ensure a rich, authentic and respectful environment for delivery of the academics in “real world” scenarios.

All West Virginia teachers are responsible for classroom instruction that integrates content standards and mathematical habits of mind. Students in this course will make connections and applications the accumulation of learning that they have from their previous courses, with content grouped into four critical units. Students will apply methods from probability and statistics to draw inferences and conclusions from data. They will expand their repertoire of functions to include polynomial, rational and radical functions and their study of right triangle trigonometry to include general triangles. Students will bring together their experiences with functions and geometry to create models and solve contextual problems. Mathematical habits of mind, which should be integrated in these content areas, include: making sense of problems and persevering in solving them, reasoning abstractly and quantitatively; constructing viable arguments and critiquing the reasoning of others; modeling with mathematics; using appropriate tools strategically; attending to precision, looking for and making use of structure; and looking for and expressing regularity in repeated reasoning. Students will continue developing mathematical proficiency in a developmentally-appropriate progressions of standards. Continuing the skill progressions from previous courses, the following chart represents the mathematical understandings that will be developed:

Inferences and Conclusions from Data	Polynomials, Rational, and Radical Relationships
<ul style="list-style-type: none"><li>Make inferences and justify conclusions from sample surveys, experiments, and observational studies. Analyze decisions</li></ul>	<ul style="list-style-type: none"><li>Derive the formula for the sum of a geometric series, and use the formula to</li></ul>

and strategies using probability concepts (e.g., product testing, medical testing, pulling a hockey goalie at the end of a game).	solve problems. (e.g., Calculate mortgage payments.)
<b>Trigonometry of General Triangles and Trigonometric Functions</b>	<b>Mathematical Modeling</b>
<ul style="list-style-type: none"> <li>Apply knowledge of the Law of Sines and the Law of Cosines to determine distances in realistic situations. (e.g., Determine heights of inaccessible objects.)</li> </ul>	<ul style="list-style-type: none"> <li>Analyze real-world situations using mathematics to understand the situation better and optimize, troubleshoot, or make an informed decision. (e.g., Estimate water and food needs in a disaster area, or use volume formulas and graphs to find an optimal size for an industrial package.)</li> </ul>

### Numbering of Standards

The following Mathematics Standards will be numbered continuously. The following ranges relate to the clusters found within Mathematics:

<b>Inferences and Conclusions from Data</b>	
Summarize, represent, and interpret data on single count or measurement variable.	Standard 1
Understand and evaluate random processes underlying statistical experiments.	Standards 2-3
Make inferences and justify conclusions from sample surveys, experiments, and observational studies.	Standards 4-7
Use probability to evaluate outcomes of decisions.	Standards 8-9
<b>Polynomials, Rational, and Radical Relationships</b>	
Use complex numbers in polynomial identities and equations.	Standards 10-11
Interpret the structure of expressions.	Standards 12-13
Write expressions in equivalent forms to solve problems.	Standard 14
Perform arithmetic operations on polynomials.	Standard 15
Understand the relationship between zeros and factors of polynomials.	Standards 16-17
Use polynomial identities to solve problems.	Standards 18-19
Rewrite rational expressions.	Standards 20-21
Understand solving equations as a process of reasoning and explain the reasoning.	Standard 22
Represent and solve equations and inequalities graphically.	Standard 23
Analyze functions using different representations.	Standard 24
<b>Trigonometry of General Triangles and Trigonometric Functions</b>	
Apply trigonometry to general triangles.	Standards 25-27

Extend the domain of trigonometric functions using the unit circle.	Standards 28-29
Model periodic phenomena with trigonometric functions.	Standard 30
<b>Mathematical Modeling</b>	
Create equations that describe numbers or relationships.	Standards 31-34
Interpret functions that arise in applications in terms of a context.	Standards 35-37
Analyze functions using different representations.	Standards 38-40
Build a function that models a relationship between two quantities.	Standard 41
Build new functions from existing functions.	Standards 42-43
Construct and compare linear, quadratic, and exponential models and solve problems.	Standard 44
Visualize relationships between two dimensional and three-dimensional objects.	Standard 45
Apply geometric concepts in modeling situations.	Standards 46-48

### **Inferences and Conclusions from Data**

<b>Cluster</b>	<b>Summarize, represent, and interpret data on single count or measurement variable.</b>
M.3HS.1(*)	Use the mean and standard deviation of a data set to fit it to a normal distribution and to estimate population percentages. Recognize that there are data sets for which such a procedure is not appropriate. Use calculators, spreadsheets and tables to estimate areas under the normal curve. Instructional Note: While students may have heard of the normal distribution, it is unlikely that they will have prior experience using it to make specific estimates. Build on students' understanding of data distributions to help them see how the normal distribution uses area to make estimates of frequencies (which can be expressed as probabilities). Emphasize that only some data are well described by a normal distribution.

<b>Cluster</b>	<b>Understand and evaluate random processes underlying statistical experiments.</b>
M.3HS.2(*)	Understand that statistics allows inferences to be made about population parameters based on a random sample from that population.
M.3HS.3(*)	Decide if a specified model is consistent with results from a given data-generating process, for example, using simulation. (e.g., A model says a spinning coin falls heads up with probability 0.5. Would a result of 5 tails in a row cause you to question the model?) Instructional Note: Include comparing theoretical and empirical results to evaluate the effectiveness of a treatment.



<b>Cluster</b>	<b>Make inferences and justify conclusions from sample surveys, experiments, and observational studies.</b>
M.3HS.4 (*, ^)	Recognize the purposes of and differences among sample surveys, experiments and observational studies; explain how randomization relates to each. Instructional Note: In earlier grades, students are introduced to different ways of collecting data and use graphical displays and summary statistics to make comparisons. These ideas are revisited with a focus on how the way in which data is collected determines the scope and nature of the conclusions that can be drawn from that data. The concept of statistical significance is developed informally through simulation as meaning a result that is unlikely to have occurred solely as a result of random selection in sampling or random assignment in an experiment.
M.3HS.5 (*, ^)	Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling. Instructional Note: Focus on the variability of results from experiments—that is, focus on statistics as a way of dealing with, not eliminating, inherent randomness.
M.3HS.6 (*, ^)	Use data from a randomized experiment to compare two treatments; use simulations to decide if differences between parameters are significant. Instructional Note: Focus on the variability of results from experiments—that is, focus on statistics as a way of dealing with, not eliminating, inherent randomness.
M.3HS.7 (*, ^)	Evaluate reports based on data. Instructional Note: In earlier grades, students are introduced to different ways of collecting data and use graphical displays and summary statistics to make comparisons. These ideas are revisited with a focus on how the way in which data is collected determines the scope and nature of the conclusions that can be drawn from that data. The concept of statistical significance is developed informally through simulation as meaning a result that is unlikely to have occurred solely as a result of random selection in sampling or random assignment in an experiment.

<b>Cluster</b>	<b>Use probability to evaluate outcomes of decisions.</b>
M.3HS.8 (+, ^)	Use probabilities to make fair decisions (e.g., drawing by lots or using a random number generator).
M.3HS.9 (+, ^)	Analyze decisions and strategies using probability concepts (e.g., product testing, medical testing, and/or pulling a hockey goalie at the end of a game). Instructional Note: Extend to more complex probability models. Include situations such as those involving quality control or diagnostic tests that yields both false positive and false negative results.

## Polynomials, Rational, and Radical Relationships

Cluster	Use complex numbers in polynomial identities and equations.
M.3HS.10 (+)	Extend polynomial identities to the complex numbers. For example, rewrite $x^2 + 4$ as $(x + 2i)(x - 2i)$ . Instructional Note: Build on work with quadratics equations in Mathematics II. Limit to polynomials with real coefficients.
M.3HS.11 (+)	Know the Fundamental Theorem of Algebra; show that it is true for quadratic polynomials.

Cluster	Interpret the structure of expressions.
M.3HS.12 (*)	Interpret expressions that represent a quantity in terms of its context. a. Interpret parts of an expression, such as terms, factors, and coefficients. b. Interpret complicated expressions by viewing one or more of their parts as a single entity. (e.g., Interpret $P(1 + r)^n$ as the product of $P$ and a factor not depending on $P$ .) Instructional Note: Extend to polynomial and rational expressions.
M.3HS.13 (*)	Use the structure of an expression to identify ways to rewrite it. For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$ , thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$ . Instructional Note: Extend to polynomial and rational expressions.

Cluster	Write expressions in equivalent forms to solve problems.
M.3HS.14 (^)	Derive the formula for the sum of a geometric series (when the common ratio is not 1), and use the formula to solve problems. (e.g., Calculate mortgage payments.) Instructional Note: Consider extending to infinite geometric series in curricular implementations of this course description.

Cluster	Perform arithmetic operations on polynomials.
M.3HS.15(*)	Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction and multiplication; add, subtract and multiply polynomials. Instructional Note: Extend beyond the quadratic polynomials found in Mathematics II.

Cluster	Understand the relationship between zeros and factors of polynomials.
M.3HS.16 (*)	Know and apply the Remainder Theorem: For a polynomial $p(x)$ and a number $a$ , the remainder on division by $x - a$ is $p(a)$ , so $p(a) = 0$ if and only if $(x - a)$ is a factor of $p(x)$ .
M.3HS.17 (*)	Identify zeros of polynomials when suitable factorizations are available

	and use the zeros to construct a rough graph of the function defined by the polynomial.
--	---

<b>Cluster</b>	<b>Use polynomial identities to solve problems.</b>
M.3HS.18 (^)	Prove polynomial identities and use them to describe numerical relationships. For example, the polynomial identity $(x^2 + y^2)^2 = (x^2 - y^2)^2 + (2xy)^2$ can be used to generate Pythagorean triples. Instructional Note: This cluster has many possibilities for optional enrichment, such as relating the example in M.A2HS.10 to the solution of the system $u^2 + v^2 = 1$ , $v = t(u+1)$ , relating the Pascal triangle property of binomial coefficients to $(x + y)^{n+1} = (x + y)(x + y)^n$ , deriving explicit formulas for the coefficients, or proving the binomial theorem by induction.
M.3HS.19 (+, ^)	Know and apply the Binomial Theorem for the expansion of $(x + y)^n$ in powers of $x$ and $y$ for a positive integer $n$ , where $x$ and $y$ are any numbers, with coefficients determined for example by Pascal's Triangle. Instructional Note: This cluster has many possibilities for optional enrichment, such as relating the example in M.A2HS.10 to the solution of the system $u^2 + v^2 = 1$ , $v = t(u+1)$ , relating the Pascal triangle property of binomial coefficients to $(x + y)^{n+1} = (x + y)(x + y)^n$ , deriving explicit formulas for the coefficients, or proving the binomial theorem by induction.

<b>Cluster</b>	<b>Rewrite rational expressions</b>
M.3HS.20 (*)	Rewrite simple rational expressions in different forms; write $a(x)/b(x)$ in the form $q(x) + r(x)/b(x)$ , where $a(x)$ , $b(x)$ , $q(x)$ , and $r(x)$ are polynomials with the degree of $r(x)$ less than the degree of $b(x)$ , using inspection, long division, or, for the more complicated examples, a computer algebra system. Instructional Note: The limitations on rational functions apply to the rational expressions.
M.3HS.21 (+)	Understand that rational expressions form a system analogous to the rational numbers, closed under addition, subtraction, multiplication, and division by a nonzero rational expression; add, subtract, multiply and divide rational expressions. Instructional Note: Requires the general division algorithm for polynomials.

<b>Cluster</b>	<b>Understand solving equations as a process of reasoning and explain the reasoning.</b>
M.3HS.22 (*)	Solve simple rational and radical equations in one variable and give examples showing how extraneous solutions may arise. Instructional Note: Extend to simple rational and radical equations.

<b>Cluster</b>	<b>Represent and solve equations and inequalities graphically.</b>
M.3HS.23 (*, ^)	Explain why the $x$ -coordinates of the points where the graphs of the

	equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$ ; find the solutions approximately (e.g., using technology to graph the functions, make tables of values or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential and logarithmic functions. Instructional Note: Include combinations of linear, polynomial, rational, radical, absolute value, and exponential functions.
--	---

<b>Cluster</b>	<b>Analyze functions using different representations.</b>
M.3HS.24 (*, ^)	Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. Graph polynomial functions, identifying zeros when suitable factorizations are available and showing end behavior. Instructional Note: Relate to the relationship between zeros of quadratic functions and their factored forms.

### Trigonometry of General Triangles and Trigonometric Functions

<b>Cluster</b>	<b>Apply trigonometry to general triangles.</b>
M.3HS.25 (+, ^)	Derive the formula $A = 1/2 ab \sin(C)$ for the area of a triangle by drawing an auxiliary line from a vertex perpendicular to the opposite side.
M.3HS.26 (+, ^)	Prove the Laws of Sines and Cosines and use them to solve problems. Instructional Note: With respect to the general case of the Laws of Sines and Cosines, the definitions of sine and cosine must be extended to obtuse angles.
M.3HS.27 (+, ^)	Understand and apply the Law of Sines and the Law of Cosines to find unknown measurements in right and non-right triangles (e.g., surveying problems and/or resultant forces).

<b>Cluster</b>	<b>Extend the domain of trigonometric functions using the unit circle.</b>
M.3HS.28 (*)	Understand radian measure of an angle as the length of the arc on the unit circle subtended by the angle.
M.3HS.29 (*)	Explain how the unit circle in the coordinate plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle.
<b>Cluster</b>	<b>Model periodic phenomena with trigonometric functions.</b>
M.3HS.30 (*)	Choose trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline.

### Mathematical Modeling

<b>Cluster</b>	<b>Create equations that describe numbers or relationships.</b>
M.3HS.31 (*, ^)	Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational and exponential functions. Instructional Note: Use

	all available types of functions to create such equations, including root functions, but constrain to simple cases.
M.3HS.32 (*, ^)	Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. Instructional Note: While functions will often be linear, exponential or quadratic the types of problems should draw from more complex situations than those addressed in Mathematics I. For example, finding the equation of a line through a given point perpendicular to another line allows one to find the distance from a point to a line.
M.3HS.33 (*, ^)	Represent constraints by equations or inequalities and by systems of equations and/or inequalities and interpret solutions as viable or non-viable options in a modeling context. (e.g., Represent inequalities describing nutritional and cost constraints on combinations of different foods.)
M.3HS.34 (*, ^)	Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. (e.g., Rearrange Ohm's law $V = IR$ to highlight resistance $R$ .) Instructional Note: The example given applies to earlier instances of this standard, not to the current course.

<b>Cluster</b>	<b>Interpret functions that arise in applications in terms of a context.</b>
M.3HS.35 (*)	For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. Instructional Note: Emphasize the selection of a model function based on behavior of data and context.
M.3HS.36 (*)	Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. (e.g., If the function $h(n)$ gives the number of person-hours it takes to assemble $n$ engines in a factory, then the positive integers would be an appropriate domain for the function.) Instructional Note: Emphasize the selection of a model function based on behavior of data and context.
M.3HS.37 (*)	Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. Instructional Note: Emphasize the selection of a model function based on behavior of data and context.

<b>Cluster</b>	<b>Analyze functions using different representations.</b>
M.3HS.38 (*, ^)	Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.

	<p>a. Graph square root, cube root and piecewise-defined functions, including step functions and absolute value functions.</p> <p>b. Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline and amplitude.</p> <p>Instructional Note: Focus on applications and how key features relate to characteristics of a situation, making selection of a particular type of function model appropriate.</p>
M.3HS.39 (*,^)	<p>Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.</p> <p>Instructional Note: Focus on applications and how key features relate to characteristics of a situation, making selection of a particular type of function model appropriate.</p>
M.3HS.40 (*,^)	<p>Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). (e.g., Given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.)</p> <p>Instructional Note: Focus on applications and how key features relate to characteristics of a situation, making selection of a particular type of function model appropriate.</p>

<b>Cluster</b>	<b>Build a function that models a relationship between two quantities.</b>
M.3HS.41 (*)	<p>Write a function that describes a relationship between two quantities. Combine standard function types using arithmetic operations. (e.g., Build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.)</p> <p>Instructional Note: Develop models for more complex or sophisticated situations than in previous courses.</p>

<b>Cluster</b>	<b>Build new functions from existing functions.</b>
M.3HS.42 (*)	<p>Identify the effect on the graph of replacing <math>f(x)</math> by <math>f(x) + k</math>, <math>k f(x)</math>, <math>f(kx)</math>, and <math>f(x + k)</math> for specific values of <math>k</math> (both positive and negative); find the value of <math>k</math> given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them.</p> <p>Instructional Note: Use transformations of functions to find more optimum models as students consider increasingly more complex situations. Note the effect of multiple transformations on a single function and the common effect of each transformation across function types. Include functions defined only by graph.</p>
M.3HS.43 (*)	<p>Find inverse functions. Solve an equation of the form <math>f(x) = c</math> for a simple function <math>f</math> that has an inverse and write an expression for the inverse.</p>

	(e.g., $f(x) = 2x^3$ or $f(x) = \frac{(x+1)}{(x-1)}$ for $x \neq 1$ .) Instructional Note: Extend this standard to simple rational, simple radical, and simple exponential functions.
--	---

<b>Cluster</b>	<b>Construct and compare linear, quadratic, and exponential models and solve problems.</b>
M.3HS.44 (*)	For exponential models, express as a logarithm the solution to $ab^{ct} = d$ where $a$ , $c$ , and $d$ are numbers and the base $b$ is 2, 10, or $e$ ; evaluate the logarithm using technology. Instructional Note: Consider extending this unit to include the relationship between properties of logarithms and properties of exponents, such as the connection between the properties of exponents and the basic logarithm property that $\log xy = \log x + \log y$ .

<b>Cluster</b>	<b>Visualize relationships between two dimensional and three-dimensional objects.</b>
M.3HS.45 (*, ^)	Identify the shapes of two-dimensional cross-sections of three dimensional objects and identify three-dimensional objects generated by rotations of two-dimensional objects.

<b>Cluster</b>	<b>Apply geometric concepts in modeling situations.</b>
M.3HS.46 (*, ^)	Use geometric shapes, their measures and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder).
M.3HS.47 (*, ^)	Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile or BTUs per cubic foot).
M.3HS.48 (*, ^)	Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost and/or working with typographic grid systems based on ratios).